

3.7 **Momenti d'inerzia** [Kg·cm²]
(riferiti all'albero veloce in entrata)

3.7 **Moments of inertia** [Kg·cm²]
(referred to input shaft)

3.7 **Trägheitsmoment** [Kg·cm²]
(bez. Antriebswelle)

ZA..A

71A	i_n	ZA
	5	1.11
	6.3	0.89
	8	0.64

112A	i_n	ZA
	5	10.00
	6.3	7.34
	8	5.22

180A	i_n	ZA
	5	91.58

90A	i_n	ZA
	5	3.35
	6.3	2.51
	8	1.79


140A	i_n	ZA
	5	28.25
	6.3	21.56
	8	15.32

225A	i_n	ZA
	5	369.11

ZA..B - ZF..B - ZA..C - ZF..C

80B	i_n	ZA	ZF			
			IEC B5			
				71	80	90
	10	2.91		3.86	3.98	5.24
	12.5	2.74		3.69	3.81	5.07
	16	2.62		3.57	3.69	4.96
	20	1.19		2.14	2.27	3.53
	25	0.92		1.87	2.00	3.26
	31.5	0.89		1.84	1.97	3.23
	40	0.87		1.82	1.95	3.21
50	0.86		1.80	1.93	3.19	
63	0.67		1.62	1.74	3.007	

80C	i_n	ZA	ZF				
			IEC B5				
				63	71	80	90
	50	0.71		0.96	1.60	1.74	2.89
	63	0.67		0.93	1.57	1.70	2.85
	80	0.67		0.92	1.56	1.70	2.85
	100	0.30		0.55	1.19	1.32	2.48
	125	0.29		0.54	1.18	1.32	2.47
	160	0.29		0.54	1.18	1.31	2.47
	200	0.28		0.53	1.17	1.31	2.46
250	0.28		0.53	1.17	1.30	2.46	







3.7 **Momenti d'inerzia** [Kg·cm²]
(riferiti all'albero veloce in entrata)



3.7 **Moments of inertia** [Kg·cm²]
(referred to input shaft)



3.7 **Trägheitsmoment** [Kg·cm²]
(bez. Antriebswelle)


ZA..B - ZF..B - ZA..C - ZF..C

100B	i _n	ZA 	ZF 			
			IEC B5			
			71	80	90	110-112
10	9.50	11.51	11.83	11.76	11.79	
12.5	8.65	10.66	10.98	10.91	10.94	
16	8.25	10.26	10.58	10.51	10.54	
20	2.98	4.99	5.32	5.25	5.27	
25	2.97	4.98	5.31	5.24	5.27	
31.5	2.83	4.84	5.16	5.09	5.12	
40	2.76	4.77	5.09	5.02	5.05	
50	2.71	4.72	5.04	4.97	5.00	
63	1.88	3.89	4.22	4.15	4.18	

100C	i _n	ZA 	ZF 		
			IEC B5		
			71	80	90
50	2.93	3.78	3.92	5.09	
63	2.80	3.66	3.80	4.97	
80	2.78	3.64	3.77	4.95	
100	1.22	2.07	2.21	3.38	
125	1.19	2.04	2.18	3.35	
160	1.18	2.04	2.17	3.35	
200	1.15	2.01	2.14	3.32	
250	1.15	2.00	2.14	3.32	

125B	i _n	ZA 	ZF 			
			IEC B5			
			80	90	110-112	132
10	27.97	32.64	32.54	32.72	47.58	
12.5	25.19	29.86	29.76	29.94	44.80	
16	24.15	28.83	28.73	28.91	43.77	
20	11.10	15.77	15.67	15.85	30.71	
25	8.67	13.35	13.25	13.43	28.29	
31.5	8.18	12.86	12.76	12.94	27.80	
40	8.00	12.68	12.58	12.76	27.62	
50	7.86	12.53	12.44	12.61	27.47	
63	5.45	10.13	10.03	10.21	25.07	

125C	i _n	ZA 	ZF 			
			IEC B5			
			71	80	90	110-112
50	9.06	11.32	11.39	11.32	13.63	
63	8.69	10.96	11.03	10.96	13.27	
80	8.62	10.88	10.95	10.88	13.20	
100	3.92	6.18	6.26	6.18	8.50	
125	3.83	6.09	6.16	6.09	8.41	
160	3.81	6.07	6.15	6.07	8.39	
200	3.72	5.99	6.06	5.99	8.30	
250	3.72	5.98	6.05	5.98	8.30	



3.7 **Momenti d'inerzia** [Kg·cm²]
(riferiti all'albero veloce in entrata)

3.7 **Moments of inertia** [Kg·cm²]
(referred to input shaft)

3.7 **Trägheitsmoment** [Kg·cm²]
(bez. Antriebswelle)

ZA..B - ZF..B - ZA..C - ZF..C

160B	i _n	ZA	ZF				
			IEC B5				
			90	110-112	132	160	180
	10	86.86	105.43	106.47	107.84	110.02	159.14
	12.5	77.37	95.94	96.98	98.35	100.53	149.65
	16	74.72	93.29	94.33	95.70	97.88	147.00
	20	33.94	52.52	53.56	54.92	57.10	106.22
	25	26.65	45.23	46.27	47.63	49.81	98.93
	31.5	24.99	43.57	44.61	45.97	48.16	97.27
	40	24.53	43.11	44.15	45.51	47.69	96.81
	50	24.00	42.58	43.62	44.98	47.16	96.28
	63	16.56	35.14	36.18	37.54	39.72	88.84

160C	i _n	ZA	ZC			
			IEC B5			
			80	90	110-112	132
	50	27.22	31.55	31.80	31.97	46.83
	63	26.09	30.43	30.67	30.85	45.71
	80	25.84	30.17	30.41	30.59	45.45
	100	11.47	15.80	16.05	16.22	31.08
	125	11.19	15.52	15.76	15.94	30.80
	160	11.12	15.46	15.70	15.88	30.74
	200	10.85	15.19	15.43	15.61	30.47
	250	10.84	15.18	15.42	15.59	30.45

180B	i _n	ZA	ZF				
			IEC B5				
			90	110-112	132	160	180
	8	122.78	141.36	142.40	143.76	145.94	195.06
	10	108.97	127.55	128.59	129.95	132.13	181.25
	12.5	98.50	117.08	118.12	119.48	121.67	170.78
	16	44.65	63.22	64.26	65.63	67.81	116.93
	20	41.18	59.76	60.80	62.17	64.35	113.46
	25	38.56	57.13	58.17	59.54	61.72	110.84
	31.5	37.10	55.67	56.71	58.08	60.26	109.38
	40	35.98	54.55	55.59	56.96	59.14	108.26

180C	i _n	ZA	ZF			
			IEC B5			
			80	90	110-112	132
	50	28.35	32.68	32.93	33.10	47.96
	63	27.03	31.36	31.61	31.78	46.64
	80	26.75	31.08	31.33	31.50	46.36
	100	26.59	30.93	31.17	31.34	46.20
	125	12.10	16.43	16.67	16.85	31.71
	160	11.79	16.13	16.37	16.55	31.41
	200	11.48	15.82	16.06	16.24	31.10
	250	11.46	15.80	16.04	16.21	31.07







3.7 **Momenti d'inerzia** [Kg·cm²]
(riferiti all'albero veloce in entrata)

3.7 **Moments of inertia** [Kg·cm²]
(referred to input shaft)

3.7 **Trägheitsmoment** [Kg·cm²]
(bez. Antriebswelle)

ZA..B - ZF..B - ZA..C - ZF..C

200B	i _n	ZA 	ZF 			
			IEC B5			
			132	160	180	200
8	301.72	363.02	371.00	369.00	365.53	
10	285.61	346.91	354.88	352.89	349.41	
12.5	270.18	331.48	339.45	337.46	333.98	
16	114.96	176.26	184.24	182.24	178.77	
20	110.92	172.22	180.19	178.20	174.72	
25	107.05	168.35	176.32	174.33	170.85	
31.5	103.91	165.21	173.19	171.19	167.72	

200C	i _n	ZA 	ZF 			
			IEC B5			
			110-112	132	160	180
40	85.01	104.63	105.99	108.17	157.29	
50	84.39	104.00	105.37	107.55	156.67	
63	83.79	103.41	104.77	106.96	156.07	
80	83.31	102.93	104.29	106.47	155.59	
100	34.63	54.25	55.61	57.80	106.91	
125	34.48	54.10	55.46	57.65	106.76	
160	34.36	53.98	55.34	57.52	106.64	